#### **Environmental Protection Agency**

Commodity	Parts per million
Cotton, undelinted seed	0.020

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[64 FR 18357, Apr. 14, 1999, as amended at 66 FR 65850, Dec. 21, 2001; 71 FR 77625, Dec. 27, 2006]

# § 180.552 Sulfosulfuron; tolerances for residues.

(a) General. Tolerances are established for residues of the herbicide sulfosulfuron, 1–(4,6-dimethoxypyrimidin-2-yl)-3-[(2-ethanesulfonyl-imidazo[1,2-a]pyridine-3-yl) sulfonyl]urea and its metabolites converted to 2-(ethylsulfonyl)-imidazo[1,2-a]pyridine and calculated as sulfosulfuron in or on the raw agricultural commodities.

Commodity	Parts per million
Cattle, fat	0.02
Cattle, meat	0.01
Cattle, meat byproducts	0.3
Goat, fat	0.02
Goat, meat	0.01
Goat, meat byproducts	0.3
Grass, forage, fodder and hay, group 17, for-	
age	14
Grass, forage, fodder and hay, group 17, hay	25
Hog, fat	0.005
Hog, meat	0.005
Hog, meat byproducts	0.05
Horse, fat	0.02
Horse, meat	0.01
Horse, meat byproducts	0.3
Milk	0.02
Sheep, fat	0.02
Sheep, meat	0.01
Sheep, meat byproducts	0.3
Wheat, forage	4.0
Wheat, grain	0.02
Wheat, hay	0.3
Wheat, straw	0.1

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[64 FR 27192, May 19, 1999, as amended at 70 FR 69464, Nov. 16, 2005; 72 FR 54574, Sept. 26, 20071

# § 180.553 Fenhexamid; tolerances for residues.

(a) General. Tolerances are established for the residues of the fungicide fenhexamid (N-2,3-dichloro-4-hydroxyphenyl)-1-methyl cyclohexanecarboxamide) in or on the following commodities:

Commodity	Parts per million
Almond, hulls	2.0
Almond	0.02
Asparagus	0.02
Bushberry subgroup 13B	5.0
Caneberry subgroup 13A	20.0
Cilantro, leaves	30.0
Cucumber	2.0
Fruit, stone, group 12, except plum, prune,	
fresh, postharvest	10.0
Ginseng	0.3
Grape	4.0
Grape, raisin	6.0
Juneberry	5.0
Kiwifruit, postharvest	15.0
Leafy greens subgroup 4A, except spinach	30.0
Lingonberry	5.0
Pear	10
Pepper, nonbell	0.02
Pistachio	0.02
Plum, prune, dried	2.5
Plum, prune, fresh	1.5
Pomegranate	2.0
Salal	5.0
Strawberry	3.0
Vegetable, fruiting, group 8, except nonbell	
pepper	2.0

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[64 FR 28924, May 28, 1999, as amended at 65 FR 19849, Apr. 13, 2000; 65 FR 69883, Nov. 21, 2000; 67 FR 19120, Apr. 18, 2002; 68 FR 2247, Jan. 16, 2003; 68 FR 55519, Sept. 26, 2003; 71 FR 15617, Mar. 29, 2006; 71 FR 43664, Aug. 2, 2006; 73 FR 19154, Apr. 9, 2008]

### § 180.554 Kresoxim-methyl; tolerances for residues.

(a) General. (1) Tolerances are established for the combined residues of the fungicide kresoxim-methyl (methyl (E)-2-[2-(2-methylphenoxy)-methyl]phenyl-2-(methoxyimido)acetate) and its metabolites as follows: (E)-2-[2-(2-methylphenoxy)methyl]-phenyl-2-(methoxyimido)acetic acid; (E)-2-[2-(2-hydroxymethylphenoxy)methyl]-phenyl-2-(methoxyimido)acetic acid (free and glucose conjugated); and (E)-2-[2-(4-hydroxy-2-methylphenoxy)-

### § 180.555

methyl]phenyl-2-(methoxyimido)acetic acid (free and glucose conjugated) in or on the following commodities:

Commodity	Parts per million
Apple, dry pomace	1.0
Apple, wet pomace	1.0
Fruit, pome	0.5
Grape	1.0
Grape, raisin	1.5
Pecan	0.15
Vegetable, cucurbit, group 9	0.40

(2) Tolerances are established in or on the following commodities for the residues of the metabolite (*E*)-2-[2-(2-methylphenoxy)methyl]-phenyl-2-(methoxyimido)acetic acid resulting from the use of the fungicide kresoximmethyl:

Commodity	Parts per million
Cattle, meat byproducts Goat, meat byproducts Sheep, meat byproducts	0.01 0.01 0.01

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

 $[64\ {\rm FR}\ 31136,\ June\ 10,\ 1999,\ as\ amended\ at\ 71\ {\rm FR}\ 50359,\ Aug.\ 25,\ 2006;\ 74\ {\rm FR}\ 46377,\ {\rm Sept.}\ 9,\ 2009]$ 

# § 180.555 Trifloxystrobin; tolerances for residues.

(a) General. Tolerances are established for residues of trifloxystrobin, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only of trifloxystrobin, the sum benzeneacetic acid, (E,E)- $\alpha$ -(methoxyimino)-2-[[[[1-[3-(trifluoromethyl) phenyl]ethylidene] amino]oxy]methyl]-, methyl ester, and the free form of its acid metabolite CGA-321113, (E,E)-methoxyimino-[2-[1-(3-trifluoromethyl-phenyl)ethylideneaminooxymethyl]phenyl]acetic acid, calculated as the stoichiometric equivalent of trifloxystrobin, in or on the commodity.

Commodity	Parts per million
Alfalfa, forage	0.01
Alfalfa, hay	0.01
Almond, hulls	9.0
Apple, wet pomace Artichoke, globe	5.0 1.0
Asparagus	0.07
Banana 1	0.10
Barley, grain	0.05
Barley, hay	0.3
Barley, straw Beet, sugar, dried pulp	5.0 0.4
Beet, sugar, molasses	0.2
Beet, sugar, roots	0.1
Beet, sugar, tops	4.0
Canistel  Cattle, fat	0.7 0.1
Cattle, neat	0.1
Cattle, meat byproducts	0.1
Citrus, dried pulp	1.0
Citrus, oil	38
Corp. field, forage	0.02 6.0
Corn, field, forage  Corn, field, grain	0.05
Corn, field, stover	7
Corn, field, refined oil	0.1
Corn, pop, grain	0.05
Corn, pop, stover  Corn, sweet, cannery waste	7 0.6
Corn, sweet, forage	7.0
Corn, sweet, kernel plus cob with husks re-	
moved	0.04
Corn, sweet, stover	4.0
Fruit, citrus, group 10	0.04 0.6
Fruit, pome	0.5
Fruit, stone, group 12	2
Goat, fat	0.1
Goat, meat	0.1 0.1
Grain, aspirated fractions	5.0
Grape	2.0
Grape, raisin	5.0
Grass, forage	12
Grass, hay	17 0.05
Hog, meat	0.05
Hog, meat byproducts	0.05
Hop, dried cones	11.0
Horse, fat	0.1 0.1
Horse, meat	0.1
Leaf petioles subgroup 4B	3.5
Mango	0.7
Milk	0.02
Nut, tree, group 14 Oat, forage	0.04 0.3
Oat, grain	0.05
Oat, hay	0.3
Oat, straw	5.0
Papaya Peanut, hay	0.7 4.0
Peanut	0.05
Pistachio	0.04
Potato	0.04
Poultry, fat	0.04
Poultry, meatPoultry, meat byproducts	0.04 0.04
Radish, tops	10
Rice, grain	3.5
Rice, hulls	8
Rice, straw	7.5 0.7
Sapote, black	0.7
	0.7